




QUICK INSTALLATION GUIDE

www.optistartremote.com



OPTICONTROL

QUICK INSTALLATION GUIDE



QUICK INSTALLATION GUIDE

www.optistartremote.com

Agreement

By purchasing and/or using any item from OPTITECH and/or its parent company, the purchaser acknowledges to be at least 18 years of age. Purchaser also acknowledges that OPTICONTROL systems are inherently dangerous and hazardous, and that use of the product involves the risk and danger of serious bodily injury including, but not limited to , disability, paralysis, dismemberment and death. Additional risks may exist that may not be readily foreseeable.

Purchaser agrees to comply with all applicable laws governing the use of the product, and to observe all appropriate safety precautions, including the wearing of appropriate protective gear and clothing, and operating the product safely and under safe conditions.

Purchaser fully accepts and assumes responsibility for all such risks, losses, costs, and damages incurred as a result of the use of the product, whether by purchaser or anyone using the product with or without purchaser's permission.

Your purchase of the product shall constitute your release and indemnity in favor of OPTICONTROL and/or its parent company ,its shareholders, officers, directors and employees from any and all claims or injuries of every kind resulting from use or operation of the product, including costs and attorney's fees incurred in connection therewith.

Contact Information

Technical Support

Mon - Fri 9:00 AM - 5:00 PM (CST)
+52 (222) 688-5555
help@optistartremote.com
www.optistartremote.com

OPTICONTROL

OPTICONTROL

THANK YOU FOR GETTING OPTICONTROL!

ELEMENTS IN YOUR PACKAGE



- 1.- Fuse Box
- 2.- Keypad
- 3.- Power Supply Connector
- 4.- Power Device Plugs
- 5.- Control Plug
- 6.- Mounting Bracket
- 7.- Stickers
- 8.- Accessories



FUSE BOX

1. Connect the Keypad to the Fusebox with the Control Plug
2. Connect the Power Supply Connectors to the car battery.
3. Connect your devices through the Power Device Plugs.


⚠ WARNING The maximum current provided is 10A for channels 1 to 6 and 30A for channels 7 to 10. Incorrect installation may cause electrical shock, fire hazard and system failure.




NOTE: To connect the Fusebox with the Keypad
 Curved Side
 Flat Side
 A male plug is connected to the Keypad and the corresponding female plug is connected to the Fuse box. (1) The plugs have a curved surface and a rectangular surface on either side. (2) Insert the rectangular surface in an angled direction to trigger the inbuilt 'lock' in the plug. (3) Once the curved surfaces are touching each other, insert all the way until hearing a soft "Click" sound.

APP DEVICE BUTTON SETUP

1. Open OptiControl App.
2. Swipe right to the next tab and set up "Toggle" or "Hold" for each device button.
3. Click on each channel icon to assign your preferred icon to your connected devices.
4. You can select any icon from our catalog that best suit your devices.



FUSE BOX CONNECTION SETUP



Channel	Output	Inactive	Active	Diagram
CH1	10A	Not Connected	12V	
CH2	10A	Not Connected	12V	
CH3	10A	Not Connected	12V	
CH4	10A	Not Connected	12V	
CH5	10A	Not Connected	12V	
CH6	10A	Not Connected	GND	
CH7	30A	Not Connected	12V	
CH8	30A	Not Connected	12V	
CH9	30A	GND	12V	
CH10	30A	GND	12V	

NOTE: Using CH6
Connect your device to 12V (+) and the Ground of your device to CH6 connector.

OPTICONTROL APP

- Download the app available on AppStore and Google Playstore.
- Pair your smartphone with OptiControl through Bluetooth.
- You can control all your connected devices through the app.

More information available at:
www.optistartremote.com



NOTE: Bluetooth range
Any device turned on using a smart device (APP) will switch off when the smart device is out of Bluetooth range.

BLUETOOTH PAIRING

- Make sure your smartphone has Bluetooth enabled.
1. Open OptiControl App and select OptiControl new device
 2. Press and hold for 3 seconds channel 1 pairing button.
 3. Once paired, select OptiControl paired device.



KEYPAD

1. Personalize your Keypad adding stickers that best suits your devices.
2. Channels on the keypad are numbered from 1-10 in ascending order from top left to bottom right.
- 3.- Attach the keypad to your vehicle's dashboard using the mounting bracket or using the Velcro strip.

